

Gewöhnlicher Delfin – *Delphinus delphis*

Zitierte Literatur

- BERROW, S., COSGROVE, R., LEENEY, R. H., O'BRIEN, J., MCGRATH, D., DALGARD, J. & LE GALL, Y. (2008): Effect of acoustic deterrents on the behaviour of common dolphins (*Delphinus delphis*). – Journal of Cetacean Research and Management 10: 227-233.
- BRÄGER, S. & SCHNEIDER, K. (1998): Near-shore distribution and abundance of dolphins along the West Coast of the South Island, New Zealand. – New Zealand Journal of Marine and Freshwater Research 32 (1): 105-112.
- BRERETON, T., WILLIAMS, A. & MARTIN, C. (2005): Ecology and status of the common dolphin *Delphinus delphis* in the English Channel and Bay of Biscay 1995-2002. – In: STOCKIN, K., VELLA, A. & EVANS, P. G. H. (Hrsg.): Common dolphins: current research, threats and issues. – ECS Newsletter No. 45: 13-21.
- CAMPHUYSEN, K., PEET, G. & Maas, F.-J. (2006): Whales and Dolphins of the North Sea. – 's-Graveland/Niederlande (Fontaine Uitgevers): 159 S.
- DE BOER, M. N., LEAPER, R., KEITH, S. & SIMMONDS, M. P. (2008): Winter abundance estimates for the common dolphin (*Delphinus delphis*) in the western approaches of the English Channel and the effect of responsive movement. – Journal of Marine Animals and Their Ecology, Vol.1, No.1.
- EVANS, P. G. H. & TEILMANN, J. (2009): ASCOBANS/HELCOM Small Cetacean Population Structure Workshop. – Bonn/Deutschland (ASCOBANS): 141 S.
- EVANS, W. E. (1994): Common Dolphin, White-bellied Porpoise *Delphinus delphis* Linnaeus, 1758. – In: RIDGWAY, S. H. & HARRISON, Sir R. (Hrsg.): Handbook of Marine Mammals, Vol. 5. – San Diego/USA (Academic Press): 191-224.
- JEFFERSON, T. A., Webber, M. A. & PITMAN, R. L. (2008): Marine Mammals of the World – A Comprehensive Guide to their Identification. – Amsterdam/Niederlande (Academic Press): 573 S.
- KANNAN, K., BLANKENSHIP, A. L., JONES, P. D. & GIESY, J. P. (2000): Toxicity reference values for the toxic effects of polychlorinated biphenyls to aquatic mammals. – Hum. Ecol. Risk Assess. 6: 181-201.
- MACLEOD, C. D., BRERETON, T. & MARTIN, C. (2009): Changes in the occurrence of common dolphins, striped dolphins and harbour porpoises in the English Channel and Bay of Biscay. – Journal of the Marine Biological Association of the United Kingdom 89: 1059-1065.

- MACLEOD, C. D., WEIR, C. R., SANTOS, M. B. & DUNN, T. E. (2008): Temperature-based summer habitat partitioning between white-beaked and common dolphins around the United Kingdom and Republic of Ireland. – Journal of the Marine Biological Association of the United Kingdom 88: 1093-1098.
- MEINIG, H., BOYE, P. & HUTTERER, R. (2009): Rote Liste und Gesamtartenliste der Säugetiere (Mammalia) Deutschlands. – Naturschutz und Biologische Vielfalt (Bonn) 70 (1): 115-153.
- MURPHY, S., WINSHIP, A., DABIN, W., JEPSON, P. D. & 13 weitere Autoren (2009): Importance of biological parameters in assessing the status of *Delphinus delphis*. – Marine Ecology Progress Series 388: 273-291.
- NEUMANN, D. R. (2001): Seasonal movements of short-beaked common dolphins (*Delphinus delphis*) in the north-western Bay of Plenty, New Zealand: Influence of sea surface temperature and El Niño/La Niña. – New Zealand Journal of Marine and Freshwater Research 35: 371-374.
- PERRIN, W. F. (2009): Common Dolphins *Delphinus delphis* and *D. capensis*. – In: PERRIN, W. F., WÜRSIG, B. & THEWISSEN, J. G. M. (Hrsg.): Encyclopedia of Marine Mammals, Second Edition. – San Diego/USA (Academic Press): 255-259.
- PUSINERI, C., MAGNIN, V., MEYNIER, L., SPITZ, J., HASSANI, S. & RIDOUX, V. (2007): Food and feeding ecology of the common dolphin (*Delphinus delphis*) in the oceanic northeast Atlantic and comparison with its diet in neritic areas. – Marine Mammal Science 23: 30-47.
- REID, J. B., EVANS, P. G. H. & NORTHRIDGE, S. P. (2003): Atlas of cetacean distribution in north-west European waters. – Peterborough/UK (Joint Nature Conservation Committee): 52-53.
- ROBINSON, K. P., EISFELD, S. M., COSTA, M. & SIMMONDS, M. P. (2010): Short-beaked common dolphin (*Delphinus delphis*) occurrence in the Moray Firth, north-east Scotland. – Marine Biodiversity Records 3: 1-4.
- SELZER, L. A. & PAYNE, P. M. (1988): The distribution of white-sided (*Lagenorhynchus acutus*) and common dolphins (*Delphinus delphis*) vs. environmental features of the continental shelf of the northeastern United States. – Marine Mammal Science 4 (2): 141-153.
- SILVA, M. A. (1999): Diet of common dolphins, *Delphinus delphis*, off the Portuguese continental coast. – Journal of the Marine Biological Association of the UK 79: 531-540.

- STEIN, J. E., TILBURY, K. L., MEADOR, J. P., GORZELANY, J., WORTHY, G. A. J. & KRAHN, M. M. (2003): Ecotoxicological investigations of bottlenose dolphin (*Tursiops truncatus*) strandings: Accumulation of persistent organic chemicals and metals. – In: Vos, J. G., BOSSART, G. D., FOURNIER, M. & O'SHEA, T. J. (Hrsg.): Toxicology in Marine Mammals. – London & New York (Taylor & Francis): 458-488.
- TORNERO, V., BORRELL, A., AGUILAR, A., FORCADA, J & LOCKYER, C. (2006): Organochlorine contaminant and retinoid levels in blubber of common dolphins (*Delphinus delphis*) off northwestern Spain. – Environmental Pollution 140: 312-321.
- VAN DER MEIJ, S. E. T. & CAMPHUYSEN, C. J. (2006): The distribution and diversity of whales and dolphins (Cetacea) in the southern North Sea: 1970-2005. – Lutra 49 (1): 3-28.
- WEIR, C. R., MACLEOD, C. D. & CALDERAN, S. V. (2009): Fine-scale habitat selection by white-beaked and common dolphins in the Minch (Scotland, UK): evidence for interspecific competition or coexistence? – Journal of the Marine Biological Association of the United Kingdom 89 (5): 951-960.